

Innovations

Autumn/Winter 2023/2024







One knee-friendly foam pad; one Tool-Check PLUS, consisting of 28 bits, one 813 bitholding screwdriver suitable for mounting bits with $^{1}/_{4}^{"}$ external hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1, one Rapidaptor bitholding screwdriver, one 870/1 adapter ($^{1}/_{4}^{"}$ hexagon to $^{1}/_{4}^{"}$ square head), 7 sockets ($^{1}/_{4}^{"}$). One Wera Zyklop Mini 1 bit ratchet in drop-forged solid steel design; suitable for mounting bits with $^{1}/_{4}^{"}$ external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera connection series 1 and 4; $^{1}/_{4}^{"}$ sockets can also be used by adapting the Wera 870/1 adapter.

		· · · · · · · · · · · · · · · · · · ·
8001 A	0	1x ¹ / ₄ "x87.0
813	•	1x ¹ / ₄ "x78
889/4/1 K	●C	1x ¹ / ₄ "x50
870/1	OC	1x ¹ / ₄ "x25 ¹⁾
8790 HMA	\odot	1x 5.5x23.0; 1x 6.0x23.0;
		1x 7.0x23.0; 1x 8.0x23.0;
		1x 10.0x23.0; 1x 12.0x23.0;
		1x 13.0x23.0
851/1 TZ PH	0	2x PH 1x25; 3x PH 2x25;
		1x PH 3x25
855/1 TH PZ	0	1x PZ 1x25; 3x PZ 2x25;
		1x PZ 3x25
867/1 TZ	0	1x TX 10x25; 1x TX 15x25;
TORX®		1x TX 20x25; 1x TX 25x25;
		1x TX 30x25; 1x TX 40x25
867/1 Z	0	1x TX 10x25; 1x TX 15x25;
TORX® BO		1x TX 20x25; 1x TX 25x25;
		1x TX 30x25
840/1 Z Hex-	0	1x 3.0x25; 1x 4.0x25;
Plus		1x 5.0x25; 1x 6.0x25;
		1x 8.0x25
800/1 TZ	•	1x 1.0x5.5x25
9525		1x 480x280x25
	813 889/4/1 K 870/1 8790 HMA 851/1 TZ PH 855/1 TH PZ 867/1 TZ TORX® 867/1 Z TORX® BO 840/1 Z Hex- Plus 800/1 TZ	813

 $^{^{\}scriptscriptstyle 1)}$ With friction ball; for manual nut spinner sockets

•		
05 134545 001		
	Bottle opener	1x 148
	9526	1x 480x280x25

Knee-friendly



The pad protects your knees when working in a workshop, doing car repairs, gardening and during other kneeling jobs.

Practical handle



Thanks to the practical handle, the knee pad can be easily grabbed, carried and moved around at work.





LIMITED **EDITION**

When they're gone, they're gone.



Screwdriver with ball handle (Ball-Grip) for manual screwdriving to achieve high axial forces and particularly high torques.

9620 Belt holster Set 1


















9-piece set

5 Kraftform series 300 screwdrivers; for Phillips-head screws Phillips and Pozartiorm series 300 screwdrivers; for Phillips-flead screws Phillips and Pozartiv (with Lasertip) and TORX® screws. 3 Kraftform series 100 VDE screwdrivers; for Phillips-head screws Phillips (with Lasertip) and slotted screws. With "Take it easy" tool finder: Colour coding by profile and size stamping. One chiseldriver for slotted screws; for screwdriving, chiseling, mortising. One rigid, robust holster - can be attached to the belt.

+		
05 136032 001		
0	350	1x PH 1x80; 1x PH 2x100
0	355	1x PZ 2x100
0	367 TORX®	1x TX 20x100; 1x TX 25x100
•	932 A	1x 1,2x7,0x125
0	162 i VDE PH	1x PH 1x80; 1x PH 2x100
•	160 i VDE	1x 0,6x3,5x100 ¹⁾
	9522	1x 170,0x240,0

¹⁾ without Lasertip

9527 Ball-Grip Set 1



9-piece set

7 Kraftform series 300 screwdrivers; for Phillips-head screws Phillips and slotted screws with Lasertip and TORX® screws. One Ball-Grip screwdriver with Lasertip for Phillips screws. All screwdrivers with "Take it easy" tool finder: Colour coding by profile and size stamping. One attachment tool with gripping function for screws; holds all screw profiles and sizes securely on the tool; suitable for round and hexagonal blades with a diameter of 4.5 mm to 6.0 mm.

05 134028 001		
0	1850 PH	1x PH 2x100
0	350	1x PH 1x80; 1x PH 2x100
0	350 PH Stubby/car-	1x PH 2x25
	buretor screwdriver	
0	367 TORX®	1x TX 20x100; 1x TX 25x100
•	334	1x 1,2x6,5x150
•	335	1x 0,5x3,0x80 ¹⁾
	1441	1x 4,5-6,0x41,0

¹⁾ without Lasertip

9621 Belt holster Set 2















9622 Belt holster Set 3















7-piece set

3 Kraftform series 100 VDE screwdrivers; for Phillips-head Phillips (with Lasertip) and slotted screws. 3 Kraftform series 1800 screwdrivers; for Phillips-head screws Phillips and slotted screws (with Lasertip and ball handle). With "Take it easy" tool finder: Colour coding by profile and size stamping. One chiseldriver for slotted screws; for screwdriving, chiseling, mortising. One rigid, robust holster - can be attached to the belt.

The state of the s
O War

7-piece set

3 Kraftform series 100 VDE screwdrivers; for screwdrivers for square head socket screws and slotted screws. 3 Kraftform series 1800 screwdrivers; for Phillips-head screws Phillips and slotted screws (with Lasertip and ball handle). With "Take it easy" tool finder: Colour coding by profile and size stamping. One chiseldriver for slotted screws; for screwdriving, chiseling, mortising. One rigid, robust holster - can be attached to the belt.


•		
05 136033 001		
0	1850 PH	1x PH 1x80; 1x PH 2x100
•	1834	1x 1,0x6,0x100
•	932 A	1x 1,0x5,5x100
0	162 i VDE PH	1x PH 1x80; 1x PH 2x100
•	160 i VDE	1x 0,6x3,5x100 ¹⁾
	9522	1x 170,0x240,0

¹⁾ without Lasertip

•		
05 300306 001		
0	1850 PH	1x PH 1x80; 1x PH 2x100
•	1834	1x 1,0x6,0x100
•	932 A	1x 1,0x5,5x100
•	160 i VDE	1x 0,6x3,5x100 ¹⁾
0	168 i VDE	1x # 1x80; 1x # 2x100
	9522	1x 170,0x240,0

without Lasertip

9528 Ball-Grip Set 2



9-piece set

7 Kraftform series 300 screwdrivers; for Phillips-head screws Pozidriv and slotted screws with Lasertip and TORX® screws. One Ball-Grip screwdriver with Lasertip for Pozidriv screws. All screwdrivers with "Take it easy" tool finder: Colour coding by profile and size stamping. One attachment tool with gripping function for screws; holds all screw profiles and sizes securely on the tool; suitable for round and hexagonal blades with a diameter of 4.5 mm to 6.0 mm.

•		
05 134029 001		
0	1855 PZ	1x PZ 2x100
0	355	1x PZ 1x80; 1x PZ 2x100
0	355 Stubby/car-	1x PZ 2x25
	buretor screwdriver	•
0	367 TORX®	1x TX 20x100; 1x TX 25x100
•	334	1x 1,2x6,5x150
•	335	1x 0,5x3,0x80 ¹⁾
	1441	1x 4,5-6,0x41,0

without Lasertip

Can be attached to your belt



The belt pouch is made of robust material and can be attached to the belt. Dimensions holster (width x height): 170 x 240 mm.

Kraftform Ball-Grip for high torques



The ergonomically shaped Kraftform Ball-Grip fits perfectly in the hand. Its convex shape allows the transmission of high torques.



Kraftform Micro Electronics screwdriver set Big Pack 2
















28-piece set

With "Take it easy" tool finder: Colour coding by profile and size stamping. Kraftform Micro screwdriver for slotted screws, Phillips-head screws Phillips-Recess, TORX® socket (TX 5, TX 6, TX 7, TX 8, TX 10 with holding function), TORX PLUS® IPR socket, hexagonal socket, external hexagon and Microstix® screws. One lifting fork to remove stuck components on printed circuit boards after unsoldering. In a robust roll bag; suitable for Wera 2go. 3 Kraftform Micro master screwdrivers with a clip for slotted screws and Phillips-head screws Phillips-Recess; in an insert pouch. All screwdrivers with "Take it easy" tool finder: Colour coding by profile and size stamping.

05 134027 001		
00101021001	2050 Micro	1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ;
		1x PH 0x40 ³⁾
0	2067 TORX®	1x TX 5x40; 1x TX 6x40
	Micro	
0		1x TX 5x40; 1x TX 6x40; 1x TX 7x60;
	HF Micro	1x TX 8x60; 1x TX 10x60
0	2007 10150	1x 1 IPRx40 ⁴⁾
	PLUS® IPR	
	Micro	
0	2054 Micro	1x 0,9x40; 1x 1,3x40; 1x 1,5x60; 1x 2x60
0	2072 Micro	1x mx40
•	2035 Micro	1x 0,23x1,5x40; 1x 0,30x1,8x60;
		1x 0,35x2,5x40; 1x 0,40x2,0x60;
		1x 0,40x2,5x80; 1x 0,50x3,0x80
•	2069 Micro	1x 4,0x60; 1x 5,5x60
•	1429	1x 1,0x3,5x50
	9479	1x 70,0x142,0
0	2050 MS JCIS	1x PH 0x40 ³⁾
	Micro	
•	2035 MS	1x 0,30x1,8x40; 1x 0,40x2,5x40
	Micro	
	Hook and	1x 50,0x120,0
	Loop Fastener	
	Strip 120	

¹⁾ Optimised for Asian PH screws

Kraftform Micro master screwdriver



The master screwdrivers are practical companions for every-day life. With their clip, they can be put in your pocket so that you always have them at hand. The screwdrivers are neatly arranged in a useful insert pouch. The required screwdriver can be found quickly thanks to the colour-coded clips (Take it easy).



The refined screwdriver for electronics technicians



The Kraftform Micro, with its three zones and their specific arrangement, satisfies these requirements perfectly. The free-turning cap that provides support for the hand works with these advantages, enabling quick and easy precision work.

In robust pouch



With sturdy roll-pouch for tool protection and easy carrying.



"Take it easy" Tool Finder



Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.

²⁾ On the output side, the blade is turned to a nominal length of 10 mm

³⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

⁴⁾ Without bore hole





Combination tool mounting



The magnetic direct mounting is suitable for $^3/_8$ " sockets as well as $^1/_4$ " bits without the need for an adapter.

Swiveling bit magazine




The swiveling bit magazine allows for the bits to be removed easily in almost any situation and cannot be lost. The bits are safely stored.

With integrated bit magazine



A captive, freely swivelling bit magazine for 12 bits (1/4", 25 mm length) is integrated in the handle of the compact Zyklop ratchet.

Freely pivoting ratchet head



The ratchet head pivots freely and can be locked into any defined position by using the slide switch that is positioned on either side. It is even possible to work in very confined and difficult-to-access areas with enhanced hand clearance. The predefined locking at 0°, 15° and 90°, both to the right and

left, ensure safe working without any slipping of the ratchet head.

8009 Zyklop Pocket Set 4, metric/Imperial
































- 27-piece Zyklop Pocket set with bits, sockets, universal holder and extension
- Compact Zyklop ratchet with integrated bit magazine
- The magnetic direct mounting simultaneously turns the $^3/\epsilon"$ ratchet into a bit ratchet screwdriver with $^1/4"$ bit mounting
- Freely pivoting ratchet head with 5 predefined locking positions
- Fine tooth reversible ratchet (72 teeth) for a low return angle of only 5°
- Captive and freely swivelling bit magazine for easy removal and secure storage of the bits
- Universal holder with stainless steel sleeve and strong permanent magnet, can be used as extension
- Space-saving and safe storage in a textile box, which can also be docked onto the Wera 2go system

+		
05 004284 001		
0.	8009	1x ³ / ₈ "x ¹ / ₄ "x133,0
●0	8794 SB	1x ³ / ₈ "x125,0
●0	893/1/1	1x ¹ / ₄ "x75
•	8790 HMB	1x 6,0x29,0; 1x 7,0x29,0; 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 11,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 14,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0
0	851/1 BTZ	1x PH 1x25; 1x PH 2x25
٥	855/1 BTZ	1x PZ 1x25; 1x PZ 2x25
0	867/1 TORX® BTZ	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25
0	840/1 BTZ	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25
	Hook and Loop Fastener Strip 120	1x 50,0x120,0

05 004285 001		
0.	8009	1x ³ / ₈ "x ¹ / ₄ "x133,0
	8794 SB	1x ³ / ₈ "x125,0
® O	893/1/1	1x ¹ / ₄ "x75
•	8790 HMB	1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0;
		1x 12,0x29,0; 1x 14,0x29,0; 1x 16,0x30,0;
		1x ¹ / ₄ "x29,0; 1x ⁵ / ₁₆ "x29,0; 1x ³ / ₈ "x29,0;
		1x ⁷ / ₁₆ "x29,0; 1x ¹ / ₂ "x29,0; 1x ⁹ / ₁₆ "x29,0
0	851/1 BTZ	1x PH 1x25; 1x PH 2x25
0	867/1 TORX®	1x TX 10x25; 1x TX 15x25
	BTZ	
•	800/1 BTZ	1x 0,8x5,5x25; 1x 1,2x6,5x25
0	840/1 BTZ	1x 4,0x25; 1x 6,0x25
0	840/1 Z	1x ³ / ₁₆ "x25; 1x ¹ / ₄ "x25
0	868/1 Z	1x # 1x25; 1x # 2x25
	Hook and	1x 50,0x120,0
	Loop Fastener	
	Strip 120	
	•	





The HF profile



tions are securely held on the tool!

The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that TORX® screws made according to Acument Intellectual Properties specifica-




Rapidaptor with ringmagnet



The floating, free-turning magnetic sleeve securely holds even large and heavy screws to enable immediate application. There is no need to hold the screw when applying the tool — something which can be dangerous and painful. Also ideal for overhead work.

Also for ASSY and SPAX T-STAR plus screws



The Wera 867 TX HF bits are also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws.

At the workplace



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

Bit-Check 6 Wood TX HF 1 SB







Bit-Check 30 Wood TX HF 1 SB











NOW AVAILABLE IN RETAIL PACKAGING

6 bits, with holding function for TORX® socket screws as per the specification Acument Intellectual Properties; also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws. With "Take it easy" tool finder: colour coding by size.

-				4013288
05 073639 001	867/4 TORX® HF	0	2x TX 20x50; 2x TX 25x50; 1x TX 30x50; 1x TX 40x50 ¹⁾	227508

Bit-Check 12 Wood TX HF 1 SB











One Rapidaptor universal holder with ring magnet and quick-release chuck, 11 bits, 867/1 TORX® HF with holding function for TORX® socket screws as per the specification Acument Intellectual Properties; also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws. With "Take it easy" tool finder: colour coding by size; 867/1 TORX® TX 20 and TX 25 without holding function, tough (Z), for universal use.

•				4013288
05 073641 001	887/4 RR	●C	1x ¹ / ₄ "x57	227515
	855/1 Z PZ	0	1x PZ 1x25; 1x PZ 2x25	
	867/1 TORX®	0	1x TX 10x25; 1x TX 15x25;	
	HF		1x TX 20x25; 2x TX 25x25;	
			1x TX 30x25; 1x TX 40x25 1)	
	867/1 TORX®	0	1x TX 20x25; 1x TX 25x25	



NOW AVAILABLE IN RETAIL PACKAGING

One Rapidaptor universal holder with ring magnet and quick-release chuck, 29 bits, $867/1\ TORX^{\odot}$ HF with holding function for $TORX^{\odot}$ socket screws as per the specification Acument Intellectual Properties, also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws, with "Take it easy" tool finder: colour coding by size. TZ bits with torsion shape against premature wear, tough, for universal use; TH bits with torsion shape against premature wear, extra-hard

-				4013288
05 057437 001	887/4 RR	●C	1x ¹ / ₄ "x57	227522
	851/1 TZ PH	0	2x PH 2x25; 1x PH 3x25	
	855/1 TH PZ	0	3x PZ 1x25; 6x PZ 2x25;	
			2x PZ 3x25	
	867/1 TORX®	0	2x TX 10x25; 2x TX 15x25;	
	HF		4x TX 20x25; 4x TX 25x25;	
			2x TX 30x25; 1x TX 40x25 1)	



Bicycle Set 3 A















38-piece set

One chain riveter, one chain fastener, 22 bits, one 813 bitholding screwdriver suitable for bits with $^{1}\!/^{\!\! u}$ external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera connection series 1, one universal holder, stainless steel, one Rapidaptor bitholding screwdriver, one 870/1 adapter ($^{1}\!/^{\!\! u}$) hexagon to $^{1}\!/^{\!\! u}$ square head), 7 sockets ($^{1}\!/^{\!\! u}$). One Wera Zyklop Mini 1 bit ratchet, drop-forged solid steel design; suitable for mounting bits with $^{1}\!/^{\!\! u}$ external hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1 and 4; $^{1}\!/^{\!\! u}$ sockets can also be used by adapting the Wera 870/1 adapter; one 9502 tyre lever with bit mounting, one 9503 tyre lever with valve ejector. One robust textile bag for clean storage of the Tool-Check. One soft pouch to take individual tools with you on the bike.

05 004183 001		
03004163	8001 A	1x ¹ / ₄ "x87,0
•	813	1x ¹ / ₄ "x78
	3899/4/1	1x ¹ / ₄ "x100
		/
	889/4/1 K	1x 1/4"x50
	870/1	1x ¹ / ₄ "x25 ¹⁾
•	8790 HMA	1x 5,5x23,0; 1x 6,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0; 1x 15,0x23,0
•	851/1 TZ	1x PH 1x25; 1x PH 2x25
٥	867/1 TZ TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25
•	800/1 TZ	1x 0,5x4,0x25; 1x 0,6x4,5x25
0	840/1 Z	1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25
0	842/1 Z	1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25
	9502	1x 105,0
	9503	1x 105,0
	9513 Chain Tool	
	9512 Chain- Hook	
	9481	1x 203,0x85,0
	9480	1x 90,0x135,0
	Hook and Loop Fastener Strip 120	1x 50,0x120,0

The Bicycle Set 3 A



The Bicycle Set 3 A is the practical assortment for independently carrying out assembly work and repairs on road bikes, mountain bikes and e-bikes. Particularly practical: one small case with zip to take individual tools with you in your jersey pocket. Less weight on hike tours

Chain tools



With the included chain tool, chains can be loosened and reconnected; ideal for opening and closing bicycle chains. Suitable for single-speed chains up to 12-speed.

Soft pouch



The textile pouch fits perfectly into jersey pockets and is, therefore, also ideal for racing cyclists without panniers or saddle bags. On the back, there are also two convenient loops for CO₂ cartridges. The cartridges are not included.

The 9503 tyre lever



The 9503 tyre lever can be used as a valve ejector for Sclaverand (French) valves and as a bleeder valve for car valves.

No liability for printing errors or mistakes shall be assumed.



Wera Werkzeuge GmbH Korzerter Straße 21–25 D-42349 Wuppertal

+49 (0)202/4045-0 info@wera.de www.wera.de Wera Tools Inc. (North America) 4129 Harvester Rd, Unit H Burlington, Ontario Canada, L7L 5M3

1-800-267-55 41 info@weratools.com www.weratools.com

Wera Tools (UK) LTD. Railway View Clay Cross, Chesterfield Derbyshire, S45 9FR

Phone: +44 (0)1246 / 277756 Fax: +44 (0)1246 / 273335 eMail: queries@wera-tools.co.uk Internet: www.wera-tools.co.uk

